



# 15" inch Embedded Touch Monitor (Projected capacitive Multi-Touch)

## Products application :

- POS Terminal
- Industrial PC
- Kiosk
- Gaming
- Medical apparatus
- Personal computer
- Mobile GPS
- Office automation
- Security system of the house
- Car-mounted amusement
- Military equipment
- Communicate



# 15" inch Embedded Touch Monitor (Projected capacitive Multi-Touch)

## Display Specifications :

Active Area	304 × 228 mm
Pixel Pitch	0.297 × 0.297 mm
Brightness	250 cd/m <sup>2</sup>
Contrast Ratio	700 : 1
Resolution	1024 × 768 ( XGA )
Viewing Angle	L/R 160° ; U/D 140°
Response Time	5 ms ( Tr + Tf )
Display Colors	16.2M
Display Modes	640×480 ; 800×600 ; 1024×768
Signal input	15 Pin D_Sub ; Mini-Audio in ; DVI
Mini-Audio out	1W ( 8Ω ) × 1
OSD Keyboard	⊙ Menu/Select ⊙ - ⊙ + ⊙ Auto/Exit ⊙ Power
Power Source	DC 12V ; ≤ 15w ; Standby ≤ 1w
Power Consumption	
Storage / Operation	-40~85°C ; -30~80°C
VESA	75×75 or 100×100 mm
Casing Colors	Black
Casing Size / Weight	370.8 × 260 × 42 mm ; 2.8 kg ( W×H×D )
Carton / gross weight	550 × 400 × 180 mm ; 4.8 kg ( W×H×D )



## Touch Feature :

Input Method	Capacitive stylus, Finger
Linearity	≤ 2.5mm
Surface	≥ 7H
Life Time	Unlimited
Application	Writing and Signature Capture Capability
PC Link	USB or RS232(Single-Touch)

## Software Feature :

Draw Test	Position and linearity verification
Controller	Support multiple controllers
Languages	English / Simple Chinese / Traditional Chinese / Japanese / French / German / Spanish / Korean / Arabic / Czech / Danish / Dutch / Greek / Hungarian / Italian / Norwegian / Russian / Polish / Portuguese / Slovenian / Swedish / Thai / Turkish
Mouse Emulator	Right / left button emulation. Auto Right / left Click ( PDA function )
Touch Style	Drawing a Mode / button a Mode / Touch Off/ on Switch
Double Click	Configurable double click speed / Configurable double click area
Sound Modes	No sound / Touch down / Touch up
Display Support	display rotation / Support multiple monitors
Division Pattern	Support two halves and four parts with touch function, you can also create your own division patterns.
Settings:	
Edge compensation	Support edge compensation and you can also add your own numbers for it.
Support O.S	All Windows-32 bit O.S Windows7-8-10 ; XP-64 bit O.S Android ; A II Linux ; MAC



## Order information :

AIM-TMOPPCTU150-R03 :	【VGA/AUDIO/DVI/USB-TOUCH】	AIM-TMOPPCTU150-R04 :	【VGA/AUDIO/DVI/RS232-TOUCH】
Accessory	VGA Cable / AC90~260V Adapter / Power Cable / Audio Cable / USB or RS232 Cable / Cleaning wipes / Driver Disk		
	※DVI Cable(Optional)		



Dimensions :

